

RCP LEGEND

- 101 DENOTES ROOM NUMBER REFERENCE
- 9'-6" DENOTES CEILING HEIGHT ABOVE FINISHED FLOOR
- DENOTES EXISTING SUSPENDED ACOUSTIC CEILING SYSTEM TO REMAIN
- DENOTES GYPSUM BOARD CEILING TO REMAIN
- DENOTES EXISTING SUSPENDED ACOUSTIC CEILING SYSTEM TO BE REMOVED
- DENOTES GYPSUM BOARD CEILING TO BE REMOVED
- DENOTES LIGHTING FIXTURE TO REMAIN
- DENOTES RETURN AND SUPPLY DIFFUSERS TO REMAIN
- DENOTES SMOKE OR HEAT DETECTOR/ALARM TO REMAIN
- DENOTES ITEMS TO BE REMOVED
- (E) DENOTES EXISTING ITEMS

RCP GENERAL NOTES:

1. REFER TO ROOM FINISH SCHEDULE AND TO MECH/ELEC DWGS. FOR ADDITIONAL INFORMATION.
2. ALL PENETRATIONS THROUGH ROOF ASSEMBLY THAT PUNCTURE THE VAPOUR BARRIER ARE TO BE SEALED WITH THE APPROPRIATE CAULKING AND MEMBRANES, REFER TO SPECIFICATION SECTIONS 07900 SEALANTS AND 07195 MEMBRANE AIR / VAPOUR BARRIERS.

RCP DEMOLITION NOTES:

- D15 REMOVE EXISTING ACOUSTIC CEILING TILE SYSTEM, INCLUDING BUT NOT LIMITED TO LIGHTS, DIFFUSERS, RETURN AIR GRILLES, SMOKE DETECTORS ETC. IN ITS ENTIRETY - REFER TO MECHANICAL AND ELECTRICAL DRAWINGS
- D16 REMOVE EXISTING ACOUSTIC CEILING TILE SYSTEM AS REQUIRED TO SUIT NEW PARTITIONS - REFER TO MECHANICAL AND ELECTRICAL DRAWINGS
- D17 REMOVE EXISTING GYPSUM BOARD BULKHEAD AND CEILING SYSTEM AND ALL RELATED ACCESSORIES AND FRAMING IN ITS ENTIRETY.
- D18 CAREFULLY REMOVE EXISTING LIGHT FIXTURES AND STORE ON SITE FOR FUTURE REINSTALLATION.
- D19 REMOVE EXISTING LIGHTS, DIFFUSERS, RETURN AIR GRILLES ETC. AS REQUIRED TO SUIT NEW PARTITION/ROOMS - REFER TO MECHANICAL AND ELECTRICAL DRAWINGS
- D20 REMOVE ALL DAMAGED ACOUSTIC CEILING TILES DUE TO EXISTING AND NEW DAMAGES.

DEMOLITION LEGEND


- D1 DEMOLITION TAG - REFER TO DEMOLITION NOTES
- DENOTES EXISTING ITEMS TO REMAIN
- DENOTES ITEMS TO BE REMOVED - REFER TO DEMOLITION NOTES
- DENOTES SURFACE AREAS OF ITEMS TO BE REMOVED - REFER TO DEMOLITION NOTES
- DENOTES REMOVAL OF EXISTING SLAB ON GRADE AND EXISTING GRANULAR MATERIAL, V.B. TO MAKE WAY FOR NEW CONSTRUCTION - REFER TO MECH. DWGS.

DEMOLITION NOTES (GENERAL):



1. REFER TO STRUCTURAL DRAWINGS FOR LINTEL REQUIREMENTS PRIOR TO COMMENCEMENT OF ANY DEMOLITION WORK.
2. REFER ALSO TO MECH / ELEC FOR ADDITIONAL DEMOLITION NOTES AND REQUIREMENTS.
3. DETAILED CONSTRUCTION DRAWINGS FOR THE EXISTING BUILDING ARE AVAILABLE AT THE OFFICE OF THE ARCHITECT. CONTRACTOR / TRADE CONTRACTS SHALL BE RESPONSIBLE FOR VISITING THE SITE / REVIEWING ALL RELEVANT DOCUMENTATION IN ORDER TO ASCERTAIN THE SCOPE OF THE DEMOLITION REQUIRED FOR THE PROJECT.
4. REFER ALSO TO SPECIFICATIONS FOR ADDITIONAL REQUIREMENTS.
5. ALL ELECTRICAL DEVICES SUBJECT TO DUST AND DEBRIS ARE TO BE REMOVED PRIOR TO DEMOLITION PHASE AND REINSTALLED DURING CONSTRUCTION PHASE, MAKE SAFE ALL ELECTRICAL.
6. MECHANICAL DUCTS ARE TO BE CAPPED DURING DEMOLITION PHASE TO PREVENT THE SPREAD OF DUST TO THE REST OF THE BUILDING STILL IN OPERATION.
7. ALL REMOVED ITEMS NOT RE-USED IN NEW CONSTRUCTION OR TURN OVER TO OWNER, SHALL BE REMOVED OFF SITE.
8. REFER TO OTHER DRAWINGS IN THIS PACKAGE IN ORDER TO OBTAIN A FULL UNDERSTANDING OF DEMOLITION WORK REQUIRED TO MAKEWAY FOR CONSTRUCTION ACTIVITIES. NOT ALL ITEMS TO BE REMOVED HAVE BEEN NOTED.
9. PROTECT EXISTING FLOORS, WALLS, EQUIPMENT, MILLWORK AND OTHER PERMANENT FIXTURES FROM DAMAGE DURING DEMOLITION AND CONSTRUCTION OF THE WORK. AS A MINIMUM USE POLYETHYLENE AND PLYWOOD HOARDING.
10. PROTECT EXISTING MECHANICAL AND ELECTRICAL SYSTEMS TO REMAIN, PROVIDE WATERTIGHT ENCLOSURE AT THESE SYSTEMS WHEN EXPOSED TO THE ELEMENTS.

DEMOLITION NOTES (TAGS):


- D1 REMOVE EXISTING DOOR, FRAME, HARDWARE, AND ALL RELATED ACCESSORIES.
- D2 REMOVE EXISTING GYPSUM BOARD PARTITION SYSTEM AND RUBBER BASE AS SHOWN TO MAKE WAY FOR NEW OPENING.
- D3 REMOVE VCT TILE AND ADHESIVE AS REQUIRED TO PERMIT INSTALLATION OF NEW FLOORING.
- D4 REMOVE EXISTING HANDRAILS AND ALL RELATED ACCESSORIES AS REQUIRED TO PERMIT NEW FLOOR PLATFORM INSTALLATION
- D5 REMOVE EXISTING FOLDABLE PARTITION, TRACK, CLOSET, AND ALL RELATED ACCESSORIES.
- D6 REMOVE EXISTING SLIDING KITCHEN SERVICE WINDOW DOOR, FRAME, TRACK, AND ALL RELATED ACCESSORIES.
- D7 REMOVE EXISTING TRIM AT EDGE OF EXISTING STAGE TO MAKE WAY FOR NEW PARTITION.
- D8 REMOVE EXISTING DOOR, HINGES, AND ALL RELATED ACCESSORIES TO UNDER-STAGE STORAGE.
- D9 REMOVE EXISTING RUBBER BASE IN ITS ENTIRETY



1st STOREY REFLECTED CEILING PLAN - DEMOLITION
1/8" = 1'-0"



1st STOREY DEMOLITION PLAN
1/8" = 1'-0"



C:\Users\mkappa\Documents\22182 - Gwekwaadziwin Kitchen_mhappi.rvt

PRINTED: 2022-12-15 1:07:42 PM
DRAWINGS ARE NOT TO BE SCALED
CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB AND REPORT ANY DISCREPANCIES TO ARCHITECTS BEFORE PROCEEDING WITH THE WORK.
ALL DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF THE ARCHITECT AND ARE PROTECTED BY COPYRIGHT.
THIS DRAWING IS NOT TO BE USED FOR CONSTRUCTION UNTIL COUNTERSIGNED.

No.	Revision / Version:	Date:
1	ISSUED FOR TENDER AND CONSTRUCTION	2022 12 15




3RDLINE.STUDIO
289 CEDAR STREET
SUDBURY, ON P3B 1M8
T705.674.2300


GWEKWAADZIWIN AOK - KITCHEN RENOVATION
13 Hill Street, RR1, Box 21
Little Current, ON POP 1K0
DEMOLITION FLOOR PLAN AND RCP

Date: 2022 12 15
Scale: As indicated
Drawn By: MK Checked By: ML
Project No: 22182
Drawing No: Rev: 1

A-1.0



SECTION THROUGH NEW FLOOR PLATFORM 2
1" = 1'-0" A-2.0



SECTION THROUGH NEW FLOOR PLATFORM 1
1" = 1'-0" A-2.0



1st STOREY REFLECTED CEILING PLAN
1/8" = 1'-0"

RCP LEGEND


- 101 DENOTES ROOM NUMBER REFERENCE
- 2400 DENOTES CEILING HEIGHT ABOVE FINISHED FLOOR
- DENOTES SUSPENDED ACOUSTIC CEILING SYSTEM REFER TO SPEC.
- DENOTES GYPSUM BOARD CEILING - REFER TO SPEC.
- DENOTES LIGHTING FIXTURE - REFER TO ELEC. DWGS.
- DENOTES SMOKE OR HEAT DETECTOR/ALARM - REFER TO ELEC. DWGS.
- DENOTES SPEAKER - REFER TO ELEC. DWGS.
- DENOTES EMERGENCY LIGHTING - REFER TO ELEC. DWGS.
- DENOTES RETURN AND SUPPLY DIFFUSERS - REFER TO MECH DWGS.

RCP GENERAL NOTES:


1. REFER TO ROOM FINISH SCHEDULE AND TO MECH/ELEC DWGS. FOR ADDITIONAL INFORMATION.
2. ALL PENETRATIONS THROUGH ROOF ASSEMBLY THAT PUNCTURE THE VAPOUR BARRIER ARE TO BE SEALED WITH THE APPROPRIATE CAULKING AND MEMBRANES. REFER TO SPECIFICATION SECTIONS 07900 SEALANTS AND 07195 MEMBRANE AIR / VAPOUR BARRIERS.

RCP CONSTRUCTION NOTES:

- CL1 RELOCATE SALVAGED LIGHT FIXTURES AS SHOWN - REFER TO ELECTRICAL DRAWINGS.
- CL2 RELOCATE SALVAGED SUPPLY AIR DIFFUSER AS SHOWN - REFER TO MECHANICAL DRAWINGS.
- CL3 PROVIDE NEW ACOUSTIC CEILING TILES AT REMOVED LIGHT FIXTURES, REMOVED MECHANICAL EQUIPMENT, REMOVED PARTITION TRACK ETC., AND REMOVED TILES DUE TO EXISTING OR NEW DAMAGES. MATCH EXISTING COLOUR AND PATTERN.



SCALE: 1/8" = 1'-0" NORTH



MAIN FLOOR
1/8" = 1'-0"

FLOOR PLAN LEGEND


- 101 DENOTES ROOM NAME AND NUMBER REFERENCE
- P1 DENOTES PARTITION ASSEMBLY TAG REFERENCE
- W1 DENOTES WALL ASSEMBLY TAG REFERENCE
- 100 DENOTES DOOR AND DOOR NUMBER
- DENOTES EXISTING EXTERIOR WALL ASSEMBLY
- DENOTES NEW WOOD STUD PARTITION
- DENOTES FIRE RESISTANCE RATING OF 45MINS
- DENOTES FIRE RESISTANCE RATING OF 1HR
- REF FRZ DENOTES REFRIGERATOR OR FREEZER (N.I.C.)
- EP ELECTRICAL PANEL - REFER TO ELECTRICAL DRAWINGS
- PB DENOTES NEW BARRIER FREE PUSH BUTTON FOR DOOR OPERATOR - REFER TO ELECTRICAL DRAWINGS
- PAINT DENOTES EXTEND OF NEW PAINT

FLOOR PLAN GENERAL NOTES:

1. ALL PARTITIONS ARE TO EXTEND TO U/S OF STRUCTURE ABOVE, UNLESS NOTED OTHERWISE.

FLOOR PLAN CONSTRUCTION NOTES:

- C1 PATCH AND REPAIR ALL GYPSUM BOARD AT EXISTING AND NEW DAMAGES AT REMOVED/MODIFIED ITEMS INCLUDING BUT NOT LIMITED TO DOOR REMOVALS & INFILLS, REMOVED HANDRAIL, REMOVED TRACK AND FOLDING PARTITION SYSTEM ETC.
- C2 ALIGN EDGE OF NEW PARTITION STUD WITH EDGE OF EXISTING STAGE TO ALLOW FOR NEW GYPSUM BOARD TO RUN CONTINUOUSLY ON BOARDROOM SIDE OF PARTITION - REFER TO SECTION DETAIL.
- C3 NEW ACCESS HATCH DOOR TO SUIT EXISTING OPENING AS PER OWNER'S SELECTION. ENSURE NO LOOSE ITEMS REMAIN IN UNDER-STAGE STORAGE PRIOR TO INSTALLATION.
- C4 NEW BUILT UP FLOOR PLATFORM AT EXISTING STAIRS - REFER TO SECTION DETAILS.
- C5 NEW PANTRY PARTITIONS TO EXTEND TO U/S OF EXISTING ACT CEILING ONLY
- C6 THOROUGHLY CLEAN ALL EXISTING ITEMS AND EXISTING FIXTURES IN WASHROOMS AND ENSURE EVERYTHING IS IN WORKING ORDER.
- C7 INFILL OPENINGS AT REMOVED DOORS. ENSURE FACE OF NEW GYPSUM IS FLUSH WITH EXISTING. REFER TO CONSTRUCTION ASSEMBLIES
- C8 CLOSE AND LOCK EXISTING DOOR. REMOVE HANDLE AND PROVIDE DOOR HOLE COVER PLATE. FINISH INTERIOR OF DOOR OPENING WITH 5/8" GYPSUM BOARD AND WOOD BLOCKING AS REQUIRED. FILL CAVITIES WITH BATT INSULATION. ENSURE FACE OF NEW GYPSUM IS FLUSH WITH EXISTING.
- C9 NEW PUSH BUTTON - REFER TO ELECTRICAL DRAWINGS



SCALE: 1/8" = 1'-0" NORTH

PRINTED: 2022-12-15 10:47:44 PM
DRAWINGS ARE NOT TO BE SCALED
CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB AND REPORT ANY DISCREPANCIES TO ARCHITECTS BEFORE PROCEEDING WITH THE WORK.
ALL DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF THE ARCHITECT AND ARE PROTECTED BY COPYRIGHT.
THIS DRAWING IS NOT TO BE USED FOR CONSTRUCTION UNTIL COUNTERSIGNED.

No.	Revision / Version:	Date:
1	ISSUED FOR TENDER AND CONSTRUCTION	2022 12 15



GWEKWAADZIWIN AOK - KITCHEN RENOVATION
13 Hill Street, RR1, Box 21
Little Current, ON POP 1K0
NEW FLOOR PLAN AND RCP

Date: 2022 12 15
Scale: As indicated
Drawn By: MK Checked By: ML
Project No: 22182
Drawing No: Rev: 1

A-2.0